

ExtensionInfo

VisuellWikitext

Version vom 1. Dezember 2023, 11:22 Uhr (Quelltext anzeigen)

Margit Link-Rodrigue (Diskussion | Beiträge)
K (1 Version importiert)

Zeile 1:

```
==DescriptionMsg==
{{AutoDocDescriptionMsg
|name = BlueSpicePageAssignments
|desc = {{int:bs-pageassignments-desc
}}
}}
```

Zeile 16:

```
}}
|extensions = {{AutoDocVersion
|name = BlueSpiceFoundation
|version = 4.1
}}
}}
```

Zeile 23:

```
{{AutoDocIntegratesInto
|into = {{AutoDocListItem
|item = BlueSpiceExtendedStatistics
}}
{{AutoDocListItem
|item = BlueSpicePageAssignments
}}
{{AutoDocListItem
|item = BlueSpicePrivacy
}}
{{AutoDocListItem
|item = BlueSpiceSMWConnector
}}
}}
==SpecialPages==
{{AutoDocSpecialPages
```

Version vom 1. Dezember 2023, 15:09 Uhr (Quelltext anzeigen)

hw>Unknown user
Keine Bearbeitungszusammenfassung

Zeile 1:

```
==DescriptionMsg==
{{AutoDocDescriptionMsg
|name = CognitiveProcessDesigner
|desc = {{int:cognitiveprocessdesigner-desc
}}
}}
```

Zeile 16:

```
}}
|extensions = {{AutoDocVersion
|name = PageForms
|version = 5.4
}}
}}
```

Zeile 23:

```
{{AutoDocIntegratesInto
|into = {{AutoDocListItem
|item = CognitiveProcessDesigner
}}
{{AutoDocListItem
|item = ContentDroplets
```

```
|SpecialPages = {{AutoDocCallback
|name = ManagePageAssignments
|callback = SpecialManagePageAssignments
}}
{{AutoDocCallback
|name = PageAssignments
|callback = SpecialPageAssignments
}}
}}
```

Zelle 49:

```
{{AutoDocPermissions
|permissions = {{AutoDocPermission
|name = pageassignable
|type = namespace
|roles = reader, admin, author, editor, maintenanceadmin,
reviewer
|desc = {{int:right-pageassignable
}}
}}
{{AutoDocPermission
|name = pageassignments
|type = namespace
|roles = admin, maintenanceadmin, reviewer
|desc = {{int:right-pageassignments
}}
}}
}}
==DefaultUserOptions==
{{AutoDocDefaultUserOptions
|options = {{AutoDocOption
|name = echo-subscriptions-email-bs-pageassignments-
action-cat
|value = <nowiki>true</nowiki>
}}
{{AutoDocOption
|name = echo-subscriptions-web-bs-pageassignments-action-
cat
|value = <nowiki>true</nowiki>
}}
```

```
}}
}}
```

Zelle 32:

```
{{AutoDocPermissions
|permissions = {{AutoDocPermission
|name = cognitiveprocessdesigner-editbpmn
|type = global
|roles = admin, editor, maintenanceadmin
|desc = {{int:right-cognitiveprocessdesigner-editbpmn
}}
}}
```

```
}}
```

}}

Zeile 77:

{ {AutoDocConfig

|config = { {AutoDocOption

|name = PageAssignmentsActivatedTypes

|value = <nowiki>array (

0 => 'user',

1 => 'group',

)</nowiki>

}}

{ {AutoDocOption

|name = PageAssignmentsLockdownGroups

|value = <nowiki>array (

0 => 'user',

)</nowiki>

}}

{ {AutoDocOption

|name = PageAssignmentsPageHeaderLimit

|value = <nowiki>3</nowiki>

}}

{ {AutoDocOption

|name = PageAssignmentsSecureEnabledNamespaces

|value = <nowiki>array (

)</nowiki>

}}

{ {AutoDocOption

|name = PageAssignmentsSecureRemoveRightList

|value = <nowiki>array (

0 => 'edit',

)</nowiki>

}}

{ {AutoDocOption

|name = PageAssignmentsTarget

|value = <nowiki>'title'</nowiki>

}}

{ {AutoDocOption

}}

Zeile 42:

{ {AutoDocConfig

|config = { {AutoDocOption

|name = CPDEntityElementTypes

|value = <nowiki>array (

0 => 'bpmn:Task',

1 => 'BPMN Task',

2 => 'Activity',

)</nowiki>

}}

{ {AutoDocOption

|name = CPDHappyPathSMWPropertyName

|value = <nowiki>'Bpmn_isHappyPath'</nowiki>

```
|name = PageAssignmentsUseAdditionalPermissions
```

```
|value = <nowiki>false</nowiki>
```

```
}}
```

```
}}
```

Zeile 116:

```
{{AutoDocApiModules
```

```
|APIModules = {{AutoDocCallback
```

```
|name = bs-mypageassignment-store
```

```
|callback = BSApiMyPageAssignmentStore
```

```
}}
```

```
{{AutoDocCallback
```

```
|name = bs-pageassignable-store
```

```
|callback = \BlueSpice\PageAssignments\Api\Store\Assignable
```

```
}}
```

```
{{AutoDocCallback
```

```
|name = bs-pageassignment-store
```

```
|callback = \BlueSpice\PageAssignments\Api\Store\Page
```

```
}}
```

```
{{AutoDocCallback
```

```
|name = bs-pageassignment-tasks
```

```
|callback = \BlueSpice\PageAssignments\Api\Task\PageAssignments
```

```
}}
```

```
}}
```

Zeile 135:

```
{{AutoDocHooks
```

```
|Hooks = {{AutoDocCallback
```

```
|name = [https://www.mediawiki.org/wiki/Manual:Hooks/ArticleDeleteComplete ArticleDeleteComplete]
```

```
|callback = PageAssignmentsHooks::onArticleDeleteComplete
```

```
}}
```

```
{{AutoDocCallback
```

```
|name = [https://www.mediawiki.org/wiki/Manual:Hooks/BSApiNamespaceStoreMakeData BSApiNamespaceStoreMakeData]
```

```
|callback = \BlueSpice\PageAssignments\Hook\BSApiNamespaceStoreMakeData\AddData::callback
```

```
}}
```

```
{{AutoDocCallback
```

```
}}
```

```
}}
```

Zeile 57:

```
{{AutoDocApiModules
```

```
|APIModules = {{AutoDocCallback
```

```
|name = cpd-delete-orphaned-elements
```

```
|callback = \CognitiveProcessDesigner\Api\DeleteOrphanedElementsApi
```

```
}}
```

```
{{AutoDocCallback
```

```
|name = cpd-save-diagram-elements
```

```
|callback = \CognitiveProcessDesigner\Api\SaveDiagramElementsApi
```

```
}}
```

```
}}
```

Zeile 68:

```
{{AutoDocHooks
```

```
|Hooks = {{AutoDocCallback
```

```
|name = [https://www.mediawiki.org/wiki/Manual:Hooks/BSInsertMagicAjaxGetData BSInsertMagicAjaxGetData]
```

```
|callback = \CognitiveProcessDesigner\Hook\BSInsertMagicAjaxGetData\AddBpmnTag::callback
```

```
|name = [https://www.mediawiki.org/wiki/Manual:Hooks/BSBookshelfBookManager BSBookshelfBookManager]
```

```
|callback = PageAssignmentsBookmakerHooks::onBSBookshelfBookManager
```

```
}}
```

```
{{AutoDocCallback
```

```
|name = [https://www.mediawiki.org/wiki/Manual:Hooks/BSBookshelfManagerGetBookDataRow BSBookshelfManagerGetBookDataRow]
```

```
|callback = PageAssignmentsBookmakerHooks::onBSBookshelfManagerGetBookDataRow
```

```
}}
```

```
{{AutoDocCallback
```

```
|name = [https://www.mediawiki.org/wiki/Manual:Hooks/BSDashboardsUserDashboardPortalConfig BSDashboardsUserDashboardPortalConfig]
```

```
|callback = PageAssignmentsDashboardHooks::onBSDashboardsUserDashboardPortalConfig
```

```
}}
```

```
{{AutoDocCallback
```

```
|name = [https://www.mediawiki.org/wiki/Manual:Hooks/BSDashboardsUserDashboardPortalPortlets BSDashboardsUserDashboardPortalPortlets]
```

```
|callback = PageAssignmentsDashboardHooks::onBSDashboardsUserDashboardPortalPortlets
```

```
}}
```

```
{{AutoDocCallback
```

```
|name = [https://www.mediawiki.org/wiki/Manual:Hooks/BSGroupManagerGroupDeleted BSGroupManagerGroupDeleted]
```

```
|callback = PageAssignmentsHooks::onBSGroupManagerGroupDeleted
```

```
}}
```

```
{{AutoDocCallback
```

```
|name = [https://www.mediawiki.org/wiki/Manual:Hooks/BSGroupManagerGroupNameChanged BSGroupManagerGroupNameChanged]
```

```
|callback = PageAssignmentsHooks::onBSGroupManagerGroupNameChanged
```

```
}}
```

```
{{AutoDocCallback
```

```
|name = [https://www.mediawiki.org/wiki/Manual:Hooks/BSUEModulePDFcollectMetaData BSUEModulePDFcollectMetaData]
```

```
|callback = PageAssignmentsBookmakerHooks::onBSUEModulePDFcollectMetaData
```

```
}}
```

```
}}
```

```
{{AutoDocCallback
```

```
|name = [https://www.mediawiki.org/wiki/Manual:Hooks/BSUEModulePDFBeforeAddingStyleBlocks BSUEModulePDFBeforeAddingStyleBlocks]
```

```
|callback = \CognitiveProcessDesigner\Hook\BSUEModulePDFBeforeAddingStyleBlocks\AddCPDStyles::callback
```

```
}}
```

```
{{AutoDocCallback
```

```
|name = [https://www.mediawiki.org/wiki/Manual:Hooks/BSUEModulePDFBeforeCreatePDF BSUEModulePDFBeforeCreatePDF]
```

```
|callback = \CognitiveProcessDesigner\Hook\BSUEModulePDFBeforeCreatePDF\PrepareBPMNDiagramForExport::callback
```

```
{{ AutoDocCallback
```

```
|name = [https://www.mediawiki.org/wiki/Manual:Hooks
/BSUsageTrackerRegisterCollectors
BSUsageTrackerRegisterCollectors]
```

```
|callback =
\BlueSpice\PageAssignments\Hook\BSUsageTrackerRegisterC
ollectors\AddPageAssignmentsPagesTag::callback
```

```
}}
```

```
{{ AutoDocCallback
```

```
|name = [https://www.mediawiki.org/wiki/Manual:Hooks
/BSUserManagerAfterDeleteUser
BSUserManagerAfterDeleteUser]
```

```
|callback = PageAssignmentsHooks::
onBSUserManagerAfterDeleteUser
```

```
}}
```

```
{{ AutoDocCallback
```

```
|name = [https://www.mediawiki.org/wiki/Manual:Hooks
/BSUserManagerAfterSetGroups
BSUserManagerAfterSetGroups]
```

```
|callback = \BlueSpice\PageAssignments\Hook\BSUserManage
rAfterSetGroups\NotifyUsers::callback
```

```
}}
```

```
{{ AutoDocCallback
```

```
|name = [https://www.mediawiki.org/wiki/Manual:Hooks
/BeforePageDisplay BeforePageDisplay]
```

```
|callback =
\BlueSpice\PageAssignments\Hook\BeforePageDisplay\AddRe
sources::callback,
\BlueSpice\PageAssignments\Hook\BeforePageDisplay\AddWi
kiExplorerResources::callback
```

```
}}
```

```
{{ AutoDocCallback
```

```
|name = [https://www.mediawiki.org/wiki/Manual:Hooks
/BlueSpiceDiscoveryTemplateDataProviderAfterInit
BlueSpiceDiscoveryTemplateDataProviderAfterInit]
```

```
|callback = discovery-skin
```

```
}}
```

```
{{ AutoDocCallback
```

```
|name = [https://www.mediawiki.org/wiki/Manual:Hooks
/ChameleonSkinTemplateOutputPageBeforeExec
ChameleonSkinTemplateOutputPageBeforeExec]
```

```
|callback =
\BlueSpice\PageAssignments\Hook\ChameleonSkinTemplate
OutputPageBeforeExec\AddFlyout::callback
```

```
}}
```

```
{{ AutoDocCallback
```

```
|name = [https://www.mediawiki.org/wiki/Manual:Hooks/ContentStabilizationStablePointAdded
ContentStabilizationStablePointAdded]
```

```
|callback = sendStabilizationNotifications
```

```
}}
```

```
{{AutoDocCallback
```

```
|name = [https://www.mediawiki.org/wiki/Manual:Hooks/ContentStabilizationStablePointUpdated
ContentStabilizationStablePointUpdated]
```

```
|callback = sendStabilizationNotifications
```

```
}}
```

```
{{AutoDocCallback
```

```
|name = [https://www.mediawiki.org/wiki/Manual:Hooks/EchoGetDefaultNotifiedUsers
EchoGetDefaultNotifiedUsers]
```

```
|callback =
\BlueSpice\PageAssignments\Notifications\Registrar::
onEchoGetDefaultNotifiedUsers
```

```
}}
```

```
{{AutoDocCallback
```

```
|name = [https://www.mediawiki.org/wiki/Manual:Hooks/LoadExtensionSchemaUpdates
LoadExtensionSchemaUpdates]
```

```
|callback = \BlueSpice\PageAssignments\Hook\LoadExtension
SchemaUpdates\AddPageAssignmentsTable::callback,
\BlueSpice\PageAssignments\Hook\LoadExtensionSchemaUpdate
s\AddMigrateRespEditorsUpdateMaintenance::callback
```

```
}}
```

```
{{AutoDocCallback
```

```
|name = [https://www.mediawiki.org/wiki/Manual:Hooks/MWStakeCommonUIRegisterSkinSlotComponents
MWStakeCommonUIRegisterSkinSlotComponents]
```

```
|callback = common-user-interface
```

```
}}
```

```
{{AutoDocCallback
```

```
|name = [https://www.mediawiki.org/wiki/Manual:Hooks/MergeAccountFromTo
MergeAccountFromTo]
```

```
|callback =
\BlueSpice\PageAssignments\Hook\MergeAccountFromTo\Me
rgePageAssignmentsDBFields::callback
```

```
}}
```

```
{{AutoDocCallback
```

```
|name = [https://www.mediawiki.org/wiki/Manual:Hooks/NamespacerManager::editNamespace
NamespacerManager::
editNamespace]
```

```
|callback =
\BlueSpice\PageAssignments\Hook\NamespacerManagerEditN
amespace\SetValues::callback
```

```
}}
```

```
}}
```

```
{{AutoDocCallback
```

```
|name = [https://www.mediawiki.org/wiki/Manual:Hooks/LoadExtensionSchemaUpdates
LoadExtensionSchemaUpdates]
```

```
|callback = \CognitiveProcessDesigner\Hook\LoadExtensionSche
maUpdates\AddRequiredPages::callback
```

```
{{ AutoDocCallback
```

```
|name = [https://www.mediawiki.org/wiki/Manual:Hooks  
/NamespaceManager::getMetaFields NamespaceManager::  
getMetaFields]
```

```
|callback =  
\BlueSpice\PageAssignments\Hook\NamespaceManagerGetM  
etaFields\RegisterMetaFields::callback
```

```
}}
```

```
{{ AutoDocCallback
```

```
|name = [https://www.mediawiki.org/wiki/Manual:Hooks  
/NamespaceManagerBeforePersistSettings  
NamespaceManagerBeforePersistSettings]
```

```
|callback = writeNamespaceConfiguration
```

```
}}
```

```
{{ AutoDocCallback
```

```
|name = [https://www.mediawiki.org/wiki/Manual:Hooks  
/PageMoveComplete PageMoveComplete]
```

```
|callback =  
\BlueSpice\PageAssignments\Hook\PageMoveComplete\Move  
Assignments::callback
```

```
}}
```

```
{{ AutoDocCallback
```

```
|name = [https://www.mediawiki.org/wiki/Manual:Hooks  
/SkinTemplateNavigation::Universal SkinTemplateNavigation:  
:Universal]
```

```
|callback = addMyPageAssignments,  
addPageAssignmentsEntry
```

```
}}
```

```
{{ AutoDocCallback
```

```
|name = [https://www.mediawiki.org/wiki/Manual:Hooks  
/StandardDialogsRegisterPageInfoPanelModules  
StandardDialogsRegisterPageInfoPanelModules]
```

```
|callback = standard-dialogs
```

```
}}
```

```
{{ AutoDocCallback
```

```
|name = [https://www.mediawiki.org/wiki/Manual:Hooks  
/WikiExplorer::buildDataSets WikiExplorer::buildDataSets]
```

```
|callback = PageAssignmentsWikiExplorerHooks::  
onWikiExplorerBuildDataSets
```

```
}}
```

```
{{ AutoDocCallback
```

```
|name = [https://www.mediawiki.org/wiki/Manual:Hooks/WikiExplor  
er::getColumnDefinitions WikiExplorer::getColumnDefinitions  
]
```

```
|callback = PageAssignmentsWikiExplorerHooks::onWikiExplor  
erGetColumnDefinitions
```

```
}}
```

```
{{ AutoDocCallback
```

```
|name = [https://www.mediawiki.org/wiki/Manual:Hooks/MakeGloba  
lVariablesScript MakeGlobalVariablesScript]
```

```
|callback = \CognitiveProcessDesigner\Hook\MakeGlobalVaria  
blesScript\AddConfigVars::callback
```

<code>}}</code>	<code>}}</code>
<code>{{AutoDocCallback</code>	<code>{{AutoDocCallback</code>
<code> name = [https://www.mediawiki.org/wiki/Manual:Hooks/WikiExplorer::getFieldDefinitions WikiExplorer::getFieldDefinitions]</code>	<code> name = [https://www.mediawiki.org/wiki/Manual:Hooks/OutputPageBeforeHTML OutputPageBeforeHTML]</code>
<code> callback = PageAssignmentsWikiExplorerHooks::onWikiExplorerGetFieldDefinitions</code>	<code> callback = \CognitiveProcessDesigner\Hook\OutputPageBeforeHTML\AddEntityHeaderFooter::callback</code>
<code>}}</code>	<code>}}</code>
<code>{{AutoDocCallback</code>	<code>{{AutoDocCallback</code>
<code> name = [https://www.mediawiki.org/wiki/Manual:Hooks/WikiExplorer::queryPagesWithFilter WikiExplorer::queryPagesWithFilter]</code>	<code> name = [https://www.mediawiki.org/wiki/Manual:Hooks/ParserFirstCallInit ParserFirstCallInit]</code>
<code> callback = PageAssignmentsWikiExplorerHooks::onWikiExplorerQueryPagesWithFilter</code>	<code> callback = \CognitiveProcessDesigner\Hook\ParserFirstCallInit\RenderBPMNTag::callback</code>
<code>}}</code>	<code>}}</code>
<code>}}</code>	<code>}}</code>

Version vom 1. Dezember 2023, 15:09 Uhr

Inhaltsverzeichnis

1 DescriptionMsg	10
2 License	10
3 Requirements	10
4 IntegratesInto	10
5 Permissions	10
5.1 Rechte	10
6 Config	10
6.1 Konfiguration	10
7 ApiModules	10
7.1 API Modules	10
8 Hooks	11
8.1 Hooks	11

DescriptionMsg

BPMN Prozesse mit einer grafischen Benutzeroberfläche in Semantic MediaWiki zeichnen

License

GPL v3

Requirements

- MediaWiki: 1.39.0
- PageForms: 5.4

IntegratesInto

- CognitiveProcessDesigner
- ContentDroplets

Permissions

Rechte

Name	Beschreibung	Rollen
cognitiveprocessdesigner-editbpmn	BPMN-Diagramme bearbeiten	admin, editor, maintenanceadmin

Config

Konfiguration

Name	Wert
CPDEntityElementTypes	array (0 => 'bpmn:Task', 1 => 'BPMN Task', 2 => 'Activity',)
CPDHappyPathSMWPropertyName	'Bpmn_isHappyPath'

ApiModules

API Modules

- cpd-delete-orphaned-elements
- cpd-save-diagram-elements

Hooks

Hooks

- [BSInsertMagicAjaxGetData](#)
- [BSUEModulePDFBeforeAddingStyleBlocks](#)
- [BSUEModulePDFBeforeCreatePDF](#)
- [LoadExtensionSchemaUpdates](#)
- [MakeGlobalVariablesScript](#)
- [OutputPageBeforeHTML](#)
- [ParserFirstCallInit](#)