

Inhaltsverzeichnis

GPL v2

VisuellWikitext

Aktuelle Version vom 1. Dezember 2023, 15:09 Uhr (Quelltext anzeigen)

Margit Link-Rodrigue (Diskussion | Beiträge)
K (1 Version importiert)

Zeile 1:

```
==DescriptionMsg==
```

```
{{AutoDocDescriptionMsg
```

```
|name = BlueSpiceSocialBlog
```

```
|desc = {{int:bs-socialblog-desc
```

```
}}
```

```
}}
```

Zeile 13:

```
|mediawiki = {{AutoDocVersion
```

```
|name = MediaWiki
```

```
|version = 1.36.0
```

```
}}
```

```
|extensions = {{AutoDocVersion
```

```
|name = BlueSpiceFoundation
```

```
|version = 4.1
```

Zeile 22:

```
|name = BlueSpiceSocial
```

```
|version = 4.1
```

Version vom 1. Dezember 2023, 15:09 Uhr (Quelltext anzeigen)

hw>Unknown user
Keine Bearbeitungszusammenfassung

Zeile 1:

```
==DescriptionMsg==
```

```
{{AutoDocDescriptionMsg
```

```
|name = BlueSpiceSocialProfile
```

```
|desc = {{int:bs-socialprofile-desc
```

```
}}
```

```
}}
```

Zeile 13:

```
|mediawiki = {{AutoDocVersion
```

```
|name = MediaWiki
```

```
|version = 1.37.0
```

```
}}
```

```
|extensions = {{AutoDocVersion
```

```
|name = BlueSpiceAvatars
```

```
|version = 4.1
```

```
}}
```

```
{{AutoDocVersion
```

```
|name = BlueSpiceFoundation
```

```
|version = 4.1
```

Zeile 26:

```
|name = BlueSpiceSocial
```

```
|version = 4.1
```

```
}}
```

```
}}
```

```
==IntegratesInto==
```

```
{{AutoDocIntegratesInto
```

```
|into = {{AutoDocListItem
```

```
|item = BlueSpicePrivacy
```

```
}}
```

```
{{AutoDocListItem
```

```
|item = BlueSpiceSMWConnector
```

}}

}}

Zeile 27:

{ {AutoDocSpecialPages

|SpecialPages = { {AutoDocCallback

|name = **Blog**

|callback = \BlueSpice\Social\Blog\Special\Blog

}}

}}

Zeile 34:

{ {AutoDocPermissions

|permissions = { {AutoDocPermission

|name = social-**blog**

|type = global

|roles = **editor**, admin, maintenanceadmin|desc = { {int:right-social-**blog**

}}

}}

{ {AutoDocPermission

|name = **social-blog-comment**

|type = global

|roles = commenter, editor, **admin**, **maintenanceadmin**|desc = { {int:right-**social-blog-comment**

}}

}}

{ {AutoDocListItem

|item = **BlueSpiceSocialProfile**

}}

{ {AutoDocListItem

|item = **BlueSpiceVisualEditorConnector**

}}

{ {AutoDocListItem

|item = **ContentDroplets**

}}

}}

Zeile 49:

{ {AutoDocSpecialPages

|SpecialPages = { {AutoDocCallback

|name = **SocialProfiles**

|callback = \BlueSpice\Social\Profile\Special\Profiles

}}

}}

Zeile 56:

{ {AutoDocPermissions

|permissions = { {AutoDocPermission

|name = social-**editothersprofile**

|type = global

|roles = admin, maintenanceadmin

|desc = { {int:right-social-**editothersprofile**

}}

}}

{ {AutoDocPermission

|name = **socialprofile-viewspecialpage**

|type = global

|roles = **accountmanager**, **admin**, **author**, **bot**, commenter,
editor, **maintenanceadmin**, **reader**, **reviewer**, **structuremanag**
er|desc = { {int:right-**socialprofile-viewspecialpage**

}}

}}

}}

==DefaultUserOptions==

{ {AutoDocDefaultUserOptions

}}

}}

Zeile 51:

{ {AutoDocConfig

|config = { {AutoDocOption

|name = **BSSocialUseBlogTeaser**|value = <nowiki>**true**</nowiki>

}}

{ {AutoDocOption

|name = **SocialBlogMainLinksBlog**|value = <nowiki>**false**</nowiki>

}}

{ {AutoDocOption

|name = **SocialBlogPreloadTitle**

|options = { {AutoDocOption

|name = **bs-social-profile-infoshowemail**|value = <nowiki>**false**</nowiki>

}}

}}

Zeile 80:

{ {AutoDocConfig

|config = { {AutoDocOption

|name = **BSSocialProfileCustomFields**|value = <nowiki>**array (****'social-profile-department' =>****array (****'i18n' => 'bs-social-profile-field-department',****'type' => 'string',****),****'social-profile-function' =>****array (****'i18n' => 'bs-social-profile-field-function',****'type' => 'string',****),****'social-profile-location' =>****array (****'i18n' => 'bs-social-profile-field-location',****'type' => 'string',****),****'social-profile-phone' =>****array (****'i18n' => 'bs-social-profile-field-phone',****'type' => 'string',****),****)</nowiki>**

}}

{ {AutoDocOption

|name = **BSSocialProfileFields**|value = <nowiki>**array (****'social-profile-title' =>****array (****'i18n' => 'bs-social-profile-field-title',**

```
|value = <nowiki>'Template:Blog'</nowiki>
```

```
}}
```

```
}}
```

Zeile 66:

```
{ {AutoDocHooks
```

```
|Hooks = { {AutoDocCallback
```

```
|name = [https://www.mediawiki.org/wiki/Manual:Hooks/BeforePageDisplay BeforePageDisplay]
```

```
|callback = \BlueSpice\Social\Blog\Hook\BeforePageDisplay\AddResources::callback
```

```
'callback' => '\BlueSpice\Social\Profile\Field\Title::getInstance',
```

```
),
```

```
'social-profile-name' =>
```

```
array (
```

```
'i18n' => 'bs-social-profile-field-name',
```

```
'callback' => '\BlueSpice\Social\Profile\Field\Name::getInstance',
```

```
),
```

```
'social-profile-email' =>
```

```
array (
```

```
'i18n' => 'bs-social-profile-field-email',
```

```
'callback' => '\BlueSpice\Social\Profile\Field\Email::getInstance',
```

```
),
```

```
)</nowiki>
```

```
}}
```

```
}}
```

Zeile 128:

```
{ {AutoDocHooks
```

```
|Hooks = { {AutoDocCallback
```

```
|name = [https://www.mediawiki.org/wiki/Manual:Hooks/ArticleViewwHeader ArticleViewHeader]
```

```
|callback = \BlueSpice\Social\Profile\Extension::onArticleViewHeader
```

```
}}
```

```
{ {AutoDocCallback
```

```
|name = [https://www.mediawiki.org/wiki/Manual:Hooks/BSPageTemplatesModifyTargetUrl BSPageTemplatesModifyTargetUrl]
```

```
|callback = \BlueSpice\Social\Profile\Hook\BSPageTemplatesModifyTargetUrl\AddClassicProfileLink::callback
```

```
}}
```

```
{ {AutoDocCallback
```

```
|name = [https://www.mediawiki.org/wiki/Manual:Hooks/BSUserInfoMetaDataFactoryAllKeys BSUserInfoMetaDataFactoryAllKeys]
```

```
|callback = \BlueSpice\Social\Profile\Hook\BSUserInfoMetaDataFactoryAllKeys\AddCustomProfileFieldKeys::callback
```

```
}}
```

```
{ {AutoDocCallback
```

```

}}
{{AutoDocCallback
|name = [https://www.mediawiki.org/wiki/Manual:Hooks/LoadExtensionSchemaUpdates LoadExtensionSchemaUpdates]
|callback = \BlueSpice\Social\Blog\Hook\LoadExtensionSchemaUpdates\AddBlogMigrationMaintenanceScript::callback
}}
{{AutoDocCallback
|name = [https://www.mediawiki.org/wiki/Manual:Hooks/MWStakeCommonUIRegisterSkinSlotComponents MWStakeCommonUIRegisterSkinSlotComponents]
|callback = common-user-interface
}}

```

```

|name = [https://www.mediawiki.org/wiki/Manual:Hooks/BSUserInfoMetaDataFactoryCallback BSUserInfoMetaDataFactoryCallback]
|callback = \BlueSpice\Social\Profile\Hook\BSUserInfoMetaDataFactoryCallback\AddCustomProfileFieldCallbacks::callback
}}
{{AutoDocCallback
|name = [https://www.mediawiki.org/wiki/Manual:Hooks/DeleteAccount DeleteAccount]
|callback = \BlueSpice\Social\Profile\Hook\DeleteAccount\DeleteUserProfile::callback
}}
{{AutoDocCallback
|name = [https://www.mediawiki.org/wiki/Manual:Hooks/GetPreferences GetPreferences]
|callback = \BlueSpice\Social\Profile\Hook\GetPreferences\AddShowProfileInfoEmail::callback
}}
{{AutoDocCallback
|name = [https://www.mediawiki.org/wiki/Manual:Hooks/HtmlPageLinkRendererBegin HtmlPageLinkRendererBegin]
|callback = \BlueSpice\Social\Profile\Hook\HtmlPageLinkRendererBegin\SetProfileLinksKnown::callback
}}
{{AutoDocCallback
|name = [https://www.mediawiki.org/wiki/Manual:Hooks/LocalUserCreated LocalUserCreated]
|callback = \BlueSpice\Social\Profile\Hook\LocalUserCreated\CreateUserProfile::callback
}}
{{AutoDocCallback
|name = [https://www.mediawiki.org/wiki/Manual:Hooks/PageSaveComplete PageSaveComplete]
|callback = \BlueSpice\Social\Profile\Hook\PageSaveComplete\ValidateProfileEntity::callback
}}
{{AutoDocCallback
|name = [https://www.mediawiki.org/wiki/Manual:Hooks/UserLoadAfterLoadFromSession UserLoadAfterLoadFromSession]
|callback = \BlueSpice\Social\Profile\Hook\UserLoadAfterLoadFromSession\AddLDAPProfileDataSync::callback
}}

```

<code>{{AutoDocCallback</code>	<code>{{AutoDocCallback</code>
<code> name = [https://www.mediawiki.org/wiki/Manual:Hooks/SkinBuildSide</code>	<code> name = [https://www.mediawiki.org/wiki/Manual:Hooks/UserSaveS</code>
<code>debar SkinBuildSidebar]</code>	<code>ettings UserSaveSettings]</code>
<code> callback = \BlueSpice\Social\Blog\Hook\SkinBuildSidebar\AddNa</code>	<code> callback = \BlueSpice\Social\Profile\Hook\UserSaveSettings\Crea</code>
<code>vigationItem::callback</code>	<code>teAndInvalidateUserProfile::callback</code>
<code>}}</code>	<code>}}</code>
<code>}}</code>	<code>}}</code>

Version vom 1. Dezember 2023, 15:09 Uhr

Inhaltsverzeichnis

1 DescriptionMsg	8
2 License	8
3 Requirements	8
4 IntegratesInto	8
5 SpecialPages	8
6 Permissions	8
6.1 Rechte	8
7 DefaultUserOptions	9
7.1 Benutzeroptionen	9
8 Config	9
8.1 Konfiguration	9
9 Hooks	9
9.1 Hooks	9

DescriptionMsg

Profil-Erweiterung für BlueSpiceSocial

License

GPL v3

Requirements

- MediaWiki: 1.37.0
- BlueSpiceAvatars: 4.1
- BlueSpiceFoundation: 4.1 BlueSpiceSocial: 4.1

IntegratesInto

- BlueSpicePrivacy
- BlueSpiceSMWConnector
- BlueSpiceSocialProfile
- BlueSpiceVisualEditorConnector
- ContentDroplets

SpecialPages

- SocialProfiles

Permissions

Rechte

Name	Beschreibung	Rollen
social-editothersprofile	Profile anderer Nutzer bearbeiten	admin, maintenanceadmin
socialprofile-viewspecialpage	Die Spezialseite "Profile" ansehen	accountmanager, admin, author, bot, commenter, editor, maintenanceadmin, reader, reviewer, structuremanager

DefaultUserOptions

Benutzeroptionen

Name	Wert
bs-social-profile-infoshowemail	false

Config

Konfiguration

Name	Wert
BSSocialProfileCustomFields	<pre>array ('social-profile-department' => array ('i18n' => 'bs-social-profile-field-department', 'type' => 'string',), 'social-profile-function' => array ('i18n' => 'bs-social-profile-field-function', 'type' => 'string',), 'social-profile-location' => array ('i18n' => 'bs-social-profile-field-location', 'type' => 'string',), 'social-profile-phone' => array ('i18n' => 'bs-social-profile-field-phone', 'type' => 'string',),)</pre>
BSSocialProfileFields	<pre>array ('social-profile-title' => array ('i18n' => 'bs-social-profile-field-title', 'callback' => '\\BlueSpice\\Social\\Profile\\Field\\Title::getInstance',), 'social-profile-name' => array ('i18n' => 'bs-social-profile-field-name', 'callback' => '\\BlueSpice\\Social\\Profile\\Field\\Name::getInstance',), 'social-profile-email' => array ('i18n' => 'bs-social-profile-field-email', 'callback' => '\\BlueSpice\\Social\\Profile\\Field\\Email::getInstance',),)</pre>

Hooks

Hooks

- [ArticleViewHeader](#)
- [BSPageTemplatesModifyTargetUrl](#)
- [BSUserInfoMetaDataFactoryAllKeys](#)
- [BSUserInfoMetaDataFactoryCallback](#)
- [DeleteAccount](#)
- [GetPreferences](#)
- [HtmlPageLinkRendererBegin](#)

- [LocalUserCreated](#)
- [PageSaveComplete](#)
- [UserLoadAfterLoadFromSession](#)
- [UserSaveSettings](#)