

Referenz:BlueSpiceInsertFile

[Versionsgeschichte interaktiv durchsuchen](#)
[Visuell Wikitext](#)

Version vom 6. Dezember 2023, 15:33 Uhr (Quelltext anzeigen)
[Margit Link-Rodrigue](#) ([Diskussion](#) | [Beiträge](#))
Keine Bearbeitungszusammenfassung
Markierung: 2017-Quelltext-Bearbeitung
[← Zum vorherigen Versionsunterschied](#)

Version vom 6. Dezember 2023, 15:33 Uhr (Quelltext anzeigen)
[Margit Link-Rodrigue](#) ([Diskussion](#) | [Beiträge](#))
Keine Bearbeitungszusammenfassung
Markierung: 2017-Quelltext-Bearbeitung
[Zum nächsten Versionsunterschied →](#)

Zeile 9:

|license=GPL v3 only

|features=This extension defines a checkbox item by using the following syntax:

[] Label of the checkbox, which, since its not a part of the checkbox, can contain wikitext systax

As checklist item will be considered:

* line that starts with [] (or [x] for checked items) and

Zeile 9:

|license=GPL v3 only

|features=This extension defines a checkbox item by using the following syntax:

`<code>`[] Label of the checkbox, which, since its not a part of the checkbox, can contain wikitext systax`</code>`

As checklist item will be considered:

* line that starts with [] (or [x] for checked items) and

Version vom 6. Dezember 2023, 15:33 Uhr

Erweiterung: Checklists

[→ alle Erweiterungen](#)

Übersicht			
Beschreibung:	Erlaubt Checklisten in VisualEditor		
Status:	stable	Abhängigkeit:	MediaWiki
Entwickler:	HalloWelt	Lizenz:	GPL-3.0-only
Art:	MediaWiki	Kategorie:	Rich Articles
Edition:	BlueSpice pro, BlueSpice Farm, BlueSpice Cloud	Version:	4.4+
? Benutzer-Hilfeseite ansehen			

Funktion

This extension defines a checkbox item by using the following syntax: `[] Label of the checkbox`, which, since its not a part of the checkbox, can contain wikitext systax
As checklist item will be considered:

- line that starts with [] (or [x] for checked items) and
- ends with a newline.

Therefore, the text of the checkbox item is everything after [] until the newline.

Technische Information

Voraussetzungen

MediaWiki: 1.39.0

Integriert in

- ContentDroplets
- VisualEditor

Spezialseiten

Benutzeroptionen

Name	Wert
checklists-hide-revision-dlg	0

Hooks

- [ArticleUndelete](#)
- [BSUEModulePDFBeforeAddingStyleBlocks](#)
- [BeforePageDisplay](#)
- [GetPreferences](#)
- [LoadExtensionSchemaUpdates](#)
- [PageDelete](#)
- [PageDeleteComplete](#)
- [PageSaveComplete](#)
- [ParserAfterTidy](#)
- [ParserBeforeInternalParse](#)
- [ParserPreSaveTransformComplete](#)

