

Referenz:ParserFunctions

Inhaltsverzeichnis

1 DescriptionMsg 2

2 License 2

3 Requirements 2

4 IntegratesInto 2

5 SpecialPages 2

6 Permissions 2

6.1 Rechte 2

7 Config 2

7.1 Konfiguration 2

8 Hooks 3

8.1 Hooks 3

DescriptionMsg

Verbindet BlueSpice mit verschiedenen MediaWiki-Erweiterungen

License

GPL v3

Requirements

- MediaWiki: 1.36.0
- BlueSpiceFoundation: 4.1

IntegratesInto

- BlueSpiceArticleInfo
- BlueSpiceExtendedStatistics
- ContentDroplets
- MWStakeContentProvisioner
- VisualEditor
- Workflows

SpecialPages

- CheckPermissions

Permissions

Rechte

Fehler: Zeichenkette überschreitet Zeichenlimit von 1.000

Name	Beschreibung	Rollen
------	--------------	--------

Config

Konfiguration

Name	Wert
DistributionConnectorEnableAutoLogin	false
DistributionConnectorEventBusEnableEventBus	'TYPE_NONE'
DistributionConnectorEventBusEventServiceDefault	'eventbus'

Name	Wert
DistributionConnectorEventBusEventServices	array ('eventbus' => array ('url' => 'http://localhost:3000/v1/events', 'timeout' => 5,),)
DistributionConnectorPluggableAuthConfig	array ()

Hooks

Hooks

- [BSUserManagerRegisterModules](#)
- [BaseTemplateToolbox](#)
- [BeforePageDisplay](#)
- [ChameleonSkinTemplateOutputPageBeforeExec](#)
- [LoadExtensionSchemaUpdates](#)
- [MWStakeCommonUIRegisterSkinSlotComponents](#)
- [OutputPageBodyAttributes](#)
- [UserLoggedIn](#)
- [WikiExplorer::buildDataSets](#)
- [WikiExplorer::getColumnDefinitions](#)
- [WikiExplorer::getFieldDefinitions](#)